

• 外刊题录 •

Geophysics, Vol. 63, No. 5, 1998

Improving seismic data quality in the Gippsland Basin (Australia), *J. Dunne* et all

3-D seismic imaging and interpretation of Brushy Canyon slope and basin thin-bed reservoirs, northwest Delaware Basin, *B. A. Hardage* et all
3-D instantaneous frequency used as a coherency/continuity parameter to interpret reservoir compartment boundaries across an area of complex turbidite deposition, *B. A. Hardage* et all

Multidimensional recursive filters via a helix, *J. Claerbout*

Recent developments in shallow-depth electrical and electrostatic prospecting using mobile arrays, *C. Panissod* et all

An analytical method to interpret self-potential anomalies caused by 2-D inclined sheets, *N. Sundararajan* et all

Simultaneous inversion of airborne electromagnetic data for resistivity and magnetic permeability, *L. P. Beard* et all

A borehole-to-surface electromagnetic survey, *H.-W. Tseng* et all

Ground-penetrating radar reflection profiling of groundwater and bedrock in an area of discontinuous permafrost, *S. A. Arcone* et all

Gauss's theorem, mass deficiency at Chicxulub crater (Yucatan, Mexico), and the extinction of the dinosaurs, *J. O. Campos-Enriquez* et all

Weighted Euler deconvolution of gravity data, *P. B. Keating*

Seismic monitoring of a CO₂ flood in a carbonate reservoir: A rock physics study, *Z. Wang* et all

Seismic system analysis—A case study from the Gulf of Mexico, *S. C. Hornbostel*

3-D symmetric sampling, *G. J. O. Vermeer*

On the computation of the true-amplitude weighting functions, *J. Sun* et all

Effects of attenuation and anisotropy on reflection amplitude versus offset, *J. M. Carcione* et all

Sediments with gas hydrates: Internal structure from seismic AVO, *C. Ecver* et all

1-D elastic waveform inkersion: A divide-and-conquer approach, *G. Xia* et all

Elastic reverse time migration of marine walkaway vertical seismic profiling data, *K. Hokstad* et all

Automatic NMO correction and velocity estimation by a feedforward neural network, *C. Calderón-Macías* et all

Focusing aspects of the parabolic Radon transform, *E. Maeland*

A bootstrap procedure for high-resolution velocity analysis, *M. D. Sacchi*

Nonlinear refraction traveltome tomography, *J. Zhang* et all

Nonhyperbolic reflection moveout for horizontal transverse isotropy, *A. Al-Dajani* et all

Polarization, phase velocity, and NMO velocity of qP-waves in arbitrary weakly anisotropic media, *I. Pšenčík* et all

Asymptotic theory for imaging the attenuation factor Q, *A. Ribodetti* et all

Accurate viscoelastic modeling by frequency-domain finite differences using rotated operators, *I. Štekl* et all

Reciprocity properties of one-way propagators, *K. Wapenaar*

Dithering of absorbers for efficient finite-difference modeling of viscoelastic wave propagation, *X. Zeng* et al

Composite boundary-valued solution of the 2.5-D Green's function for arbitrary acoustic media, *B. Zhou* et al

Geophysics, Vol. 63, No. 6, 1998

Time-frequency coherency analysis of three-component crosshole seismic data for arrival detection, *A. Lešniak* et al

Interwell seismic imaging at the Savannah River Site, South Carolina, *J. O. Parra* et al

Modeling dolomitized carbonate-ramp reservoirs: A case study of the Seminole San Andres unit—Part I, Petrophysical and geologic characterizations, *F. P. Wang* et al

Modeling dolomitized carbonate-ramp reservoirs: A case study of the Seminole San Andres unit—Part II, Seismic modeling, reservoir geostatistics and reservoir simulation, *F. P. Wang* et al

Magnetotelluric tensor decomposition: Part I, Theory for a basic procedure, *F. E. M. Lilley*

Magnetotelluric tensor decomposition: Part II, Examples of a basic procedure, *F. E. M. Lilley*

Comments on the electromagnetic "smoke ring" concept, *J. E. Reid* et al

Electromagnetic and geological transect across permafrost terrain, Mackenzie River delta, Canada, *B. J. Todd* et al

Side-looking underground radar (SLUR): Physical modeling and case history, *J. J. Daniels* et al

Modeling ground-penetrating radar wave propagation and reflection with the Jonscher parameterization, *F. Hollender* et al

Fractal behavior and detectability limits of geophysical surveys, *V. P. Dimri*

- Depth to magnetic source using the generalized analytic signal, *S.-K. Hsu et al*
 Finite-impulse-response reduction-to-the-pole filter, *R. S. Lu*
 Analysis of potential field anomalies in Lavrion mining area, Greece, *G. N. Tsokas et al*
 Multichannel processing for airborne gamma-ray spectrometry, *B. R. S. Minty et al*
 Multichannel models for the estimation of radon background in airborne gamma-ray spectrometry, *B. R. S. Minty*
 A rock physics strategy for quantifying uncertainty in common hydrocarbon indicators, *G. Mavko et al*
 Measurement of air-gun bubble oscillations, *A. Ziolkowski*
 Effects of attenuation and scattering of AVO measurements, *Adriansyah et al*
 Seismic-controlled nonlinear extrapolation of well parameters using neural networks, *Z. Liu et al*
 The equivalent offset method of prestack time migration, *J. C. Bancroft et al*
 Optimization and sensitivity analysis of seismic depth migrations from Hibernia Field, *I. Kelly et al*
 Stable depth extrapolation of seismic wavefields by Neumann series, *A. Kostecki et al*
 Kirchhoff diffraction mapping in media with large velocity contrasts, *P. Zhao et al*
 2. 5-D modeling of seismic wave propagation: Boundary condition, stability criterion, and efficiency, *S. Cao et al*
 Ergodicity of stationary white Gaussian processes, *S. K. Ghosh*
 Multichannel blind deconvolution of seismic signals, *K. F. Kaarsen et al*
 Wavelet estimation from marine pressure measurements, *A. Osen et al*
 Estimation of Q from surface seismic reflection data, *R. Dasgupta et al*
 PP-wave reflection coefficients in weakly anisotropic elastic media, *V. Vavrycuk et al*
- Geophysical Prospecting, Vol. 45, No. 1, 1997**
- Observations of borehole-source amplitude reduction due to casing, *R. L. Gibson, Jr. et al*
 Direct interpretation of magnetotelluric sounding data based on the frequency-normalized impedance function, *A. T. Basokur et al*
 Fractured reservoir delineation using multicomponent seismic data, *Xiang-Yang Li*
 A joint inversion algorithm to process geoelectric and surface wave seismic data. Part I: applica-

- tions, *R. Misiek et al*
 Multichannel estimation of frequency-dependent Q from VSP data, *P. E. Harris et al*
 The importance of topographic corrections on magnetotelluric response data from rugged regions of Anatolia, *A. Gürer et al*
 Resistivity and IP modelling of an anisotropic body located in an isotropic environment, *L. Eskola et al*
 Fracture characterization from near-offset VSP inversion, *S. Horne et al*
 Azimuthal variation in AVO response for fractured gas sands, *C. M. Sayers et al*
- Geophysical Prospecting, Vol. 45, No. 2, 1997**
- Characterizing seismic time series using the discrete wavelet transform, *H. J. Grubb et al*
 Euler deconvolution using differential similarity transformations of gravity or magnetic anomalies, *P. Stavrev*
 Imaging of offset VSP data with an elastic iterative migration scheme, *R. Mittet et al*
 Improving the performance of f - x prediction filtering at low signal-to-noise ratios, *P. E. Harris et al*
 Mapping oil-contaminated sand and till with the spectral induced polarization (SIP) method, *H. Vanhala*
 Compressional wave velocity and attenuation at ultrasonic and sonic frequencies in near-surface sedimentary rocks, *A. I. Best et al*
 The effect of pressure on ultrasonic velocity and attenuation in near-surface sedimentary rocks, *A. I. Best*
- Geophysical Prospecting, Vol. 45, No. 3, 1997**
- Depth of detection of buried resistive targets with some electrode arrays in electrical prospecting, *A. Apparao et al*
 Spectral factorization technique for estimation of an ARMA operator for multichannel deconvolution of seismic data, *R. K. Pathak et al*
 The detection of King Xerxes' Canal by the use of shallow reflection and refraction seismics-preliminary results, *V. K. Karastathis et al*
 Algorithms for staggered-grid computations for poroelastic, elastic, acoustic, and scalar wave equations, *T. Özdenvar et al*
 A physical study of low-frequency dispersion of rock conductivity in time-domain electromagnetism, *F. M. Kamenetsky et al*
 Detecting lateral resistivity inhomogeneities with the Schlumberger array, *M. Morris et al*
 Cross-well seismic tomographic delineation of min-

eralization in a hard-rock environment, *S. Cao et al*

Inversion of potential field data by genetic algorithms, *F. Boschetti et al*

Moveout analysis for transversely isotropic media with a tilted symmetry axis, *I. Tsvankin*

A short note on: Identification of the shape of simple causative sources from gravity data, *B. K. Nandi et al*

Automated trend reinforcement of aeromagnetic data, *P. Keating*

Seismic inversion for coal-seam thicknesses: trials from the Belvoir coalfield, England, *T. Gang et al*

Geophysical Prospecting, Vol. 45, No. 4, 1997

P-to-S conversion for a thin anisotropic zone produced by vertical fracturing, *S. Kelly et al*

Elimination of source-generated noise from correlated vibroseis data (the 'ghost sweep' problem), *U. Polom*

Predicting horizontal velocities from well data, *M. Andrea et al*

Marine seismic sources: QC of wavefield computation from near-field pressure measurements, *A. M. Ziolkowski et al*

Seismic migration and velocity analysis, *E. Maeland*

Introduction to ground surface self-potential tomography, *D. Patella*

Anisotropic migration of coincident VSP and cross-hole seismic reflection surveys, *P. S. Rowbotham*

3-D targeted multiple attenuation, *G. Kneib et al*

Time-depth relationships for multi-layer depth conversion, *M. Al-Chalabi*

Comment on 'A case example of near-surface correction for multicomponent VSPS' by Xinwu Zeng and Colin MacBeth, *G. Omnes*

Reply to: Comment on 'A case example of near-surface correction for multicomponent VSPS' by Gildas Omnes, *C. MacBeth*

Geophysical Prospecting, Vol. 45, No. 5, 1997

Magnetotelluric inversion using regularized Hopfield neural networks, *Y. Zhang et al*

New digital linear filters for Hankel J_0 and J_1 transforms, *D. Guptasarma et al*

A compact representation of magnetotelluric responses for two-layer models, *L. Szarka*

Effects of anelasticity on reflection and transmission coefficients, *S. Nechtschein et al*

Theoretical study of slope effects in resistivity surveys and applications, *H. Sahbi et al*

Complex polynomials for the computation of 2D gravity anomalies, *S. E. Oliva et al*

A hexagonal sampling grid for 3D recording and processing of 3D seismic data, *V. Baradan*

The reliability of aeroplane attitude determination using the main geomagnetic field with application to tensor VLF data analysis, *M. Bastani et al*

Self-potential global tomography including topographic effects, *D. Patella*

Migration velocity analysis using a genetic algorithm, *P. Docherty et al*

Comment on: 'An analytic signal approach to the interpretation of total field magnetic anomalies' by Shuang Qin, *H. Linping et al*

Reply to comment on: 'An analytic signal approach to the interpretation of total field magnetic anomalies' by H. Linping, G. Zhining and Y. Changli, *S. Qin*

Geophysical Prospecting, Vol. 45, No. 6, 1997

Recursive seismic ray modelling: applications in inversion and VSP, *T. J. Moser et al*

Elimination of ghost noise in vibroseis data by deconvolution, *X.-P. Li*

Modelling the 2D terrain effect on MT by the boundary element method, *S.-z. Xu et al*

Elimination of higher modes in dispersive in-seam multimode Love waves, *X.-P. Li*

3D FD resistivity modelling and sensitivity analyses applied to a highly resistive phonolitic body, *K. Spitzer et al*

A novel mobile multipole system (MUCEP) for shallow (0–3 m) geoelectric investigation: the 'Voldé-canards' array, *C. Panissod et al*

A generalized concept of resultant gradient to interpret potential field maps, *R. K. Shaw et al*

Topographic accessibility and the tectonic interpretation of gravity data, *A. J. Daniel et al*

One-dimensional magnetotelluric inversion using an adaptation of Zohdy's resistivity method, *B. A. Hobbs et al*